# Delta Flows: Data and Calibrations

Cathy Ruhl
US Geological Survey

California Water Science Center, Sacramento, CA


#### DSM2 Recalibration


- Metrics for identifying optimal periods
  - Hydrology
  - Density of Data
  - Continuity of Data
  - Confidence in Data

# Monitoring Delta Flows


- Project Configuration
- Instrumentation
- Evolution of the Flow Monitoring Network
- Calibration Process / Strengths & Weaknesses
- Data Availability
- DSM2 Recalibration Metrics
- Langinappe
  - Tidal Filters

# Monitoring – Modeling – Studies







- Natural
  - Upstream hydrology
  - Tides
  - AtmosphericConditions



- Natural
  - Upstream hydrology
  - Tides
  - AtmosphericConditions
- Anthropogenic
  - Export Facilities
  - Gates
  - Barriers
  - Pumps and Siphons
  - Dams and Reservoirs




- Ultrasonic Velocity Meters (UVM)
- Acoustic Doppler Velocity Meters (ADVM)
  - Horizontal Profiling Capability
  - Sideward-looking (long-term deployment)
  - Upward-looking (short-term deployment)



- Ultrasonic Velocity Meters (UVM)
  - Innovative application
  - Constrained deployment configurations






A

- Acoustic Doppler Velocity Meter
  - Flexible Deployment Configuration




- In-Situ Deployments
  - Flexible locations
  - Short-term only













- 1987: Old River and Middle River
  - Impacts of exports on regional flows






- 1987: Old River and Middle River
- 1992: Walnut Grove
  - Delta Transfer Flow







- 1987: Old River and Middle River
- 1992: Walnut Grove
- 1996: Delta Outflow
  - Measured vs. Modeled







- 1987: Old River and Middle River
- 1992: Walnut Grove
- 1996: Delta Outflow
- 1999: South Delta
  - Jones Tract Breach






- 1987: Old River and Middle River
- 1992: Walnut Grove
- 1996: Delta Outflow
- 1999: South Delta
- 2001: North Delta
  - Salmon MigrationStudies





- 1987: Old River and Middle River
- 1992: Walnut Grove
- 1996: Delta Outflow
- 1999: South Delta
- 2001: North Delta
- 2005: South Delta
  - Delta Smelt



- 1987: Old River and Middle River
- 1992: Walnut Grove
- 1996: Delta Outflow
- 1999: South Delta
- 2001: North Delta
- 2005: South Delta
- 2006: Central Delta
  - Salt flux : DWRCollaboration

#### Short Term Data Sets

Early South Delta / Dye Studies

Spring / Summer 1997, 1998, 1999

Confluence Study

■ Fall 1998

Grizzly Bay

■ Summer to Summer 1999 - 2000

Delta Cross Channel Studies

■ Fall 2000, 2001, 2002, 2005

Mildred Island

■ Summer / Fall 2001

■ Franks Tract

■ Spring / Summer 2002


#### Calibration Procedures

Detailed information available in USGS report


Ruhl, C.A., Simpson, M. R., 2005, Computation of discharge using the index-velocity Method in tidally affected areas: U.S. Geological Survey, SIR 2005-5004.


http://pubs.usgs.gov/sir/2005/5004/

#### Calibration Procedures




Relating Boat and Index Measurements







Mean Cross-Sectional Velocity vs. Index Velocity




- Strong Calibrations
  - Lots of data
  - Broad range of conditions
  - Good correlations




- Strong Calibrations
  - Lots of data
  - Broad range of conditions
  - Good correlations
- Good Calibrations
  - Trade-offs between quantity and range of data
  - Good correlations



- Strong Calibrations
  - Lots of data
  - Broad range of conditions
  - Good correlations
- Good Calibrations
  - Trade-offs between quantity and range of data
  - Good correlations
- Fair Calibrations
  - Limited data
  - Limited range of conditions
  - Fair correlation





#### Calibration Assessment

- Strong calibration at most long-term monitoring stations
- **EXCEPTIONS:** 
  - Reverse flows at Steamboat Slough
  - Very low flows at Delta Cross Channel (prior to Spring 2006)
  - High flows (Jan 2006) at Rio Vista (>320,000 cfs)
  - Grantline Canal / Old River at DMC with barriers in place

#### Calibration Assessments

- EXCEPTIONS (Continued):
  - New stations in Central Delta
    - Holland Cut & Old River at Franks Tract
    - All stations need more measurements
  - Stations with flood-ebb asymmetry
    - San Joaquin River at Jersey Point: 5/11/1994 9/30/2003
    - Middle River at Middle River: 6/6/2001 12/31/2001
    - Cache Slough: 2/19/2003 2/28/2005

# Data Availability

## Data Availability

- Real-Time Data
  - USGS NWIS Web
    - Unit Values last 31 days only
    - Daily Values updated daily

http://waterdata.usgs.gov/ca/nwis

■ CDEC http://cdec.water.ca.gov

- Special Studies Records
  - USGS Jon Burau or Cathy Ruhl
    - jrburau@usgs.gov
    - caruhl@usgs.gov

- Historical Long-Term Monitoring Record
  - USGS NWIS Web
    - Daily Values updated daily

http://waterdata.usgs.gov/ca/nwis

- USGS Information Officer (Tom Haltom)
  - (916) 278-3100, tchaltom@usgs.gov
- USGS Unit Values Warehouse
  - National effort expected in December 2007
- BDAT

http://bdat.ca.gov/

#### DSM2 Recalibration


- Metrics for identifying optimal periods
  - Hydrology
  - Density of Data
  - Continuity of Data
  - Confidence in Data


# Langinappe

Tidal Filters: Godin vs. 24-hour boxcar

#### Tidal Filters

- Removes tidal variations
- Used for daily flow computation
- Godin filter is automatically applied in NWIS
- Loss of 35 hours at beginning and end of series
  - Periods of missing data are broadened when filter is applied






# Many Thanks!


















#### **Modes of Transport - Salt Flux Decomposition**



# Building a network

- Identify the foundation
- Add parameters
  - Temperature
  - Conductivity
- Develop Tools
  - Load calculations
    - Salt Flux
  - Slack Water Plots
    - Spatial Distribution Maps
  - Tidal Excursion
    - Sampling in concert with the tides...tidal aliasing